Fire Brigade **Protective clothing** Firefighting/fire service uniforms Gloves/accessories seam it is your protective clothes

Contents

Made to measure fire brigade uniforms

Designs/processed materials

Design options

Overview

12

Protective clothing

Firefighting/fire service uniforms

Gloves

Accessories

40-41

Basic features

Legal information

43





Designs/processed materials

OUR PRODUCTS MEET THE HIGHEST QUALITY STANDARDS

Choose the right design for your individual fire brigade uniforms.

Our range contains seven different designs. You can order our protective clothing with any of the following outer fabrics: Aramid/Lenzing FR, Nomex or PBI Matrix.

The climate membranes used range from the tried-and-tested Sympatex membrane to a high-quality PTFE membrane.













Premium-L L2

Outer fabric: Lenzing FR, approx. 220 g/m²

Membrane: seamTEX PTFE fire insert, approx. 100 g/m²

seamTEX TF quilted lining, 2-ply, approx. 210 g/m², consisting Insulation:

of 1 layer of aramid/Lenzing FR and 1 layer of para-aramid









Premium-A L2

Outer fabric: Nomex Outershell Tough, approx. 195 g/m² **Membrane:** seamTEX PTFE fire insert, approx. 100 g/m² seamTEX TF quilted lining, 2-ply, approx. Insulation:


210 g/m², consisting of 1 layer of aramid/ Lenzing FR and 1 layer of para-aramid











Premium-A L1

Outer fabric: Nomex Outershell Tough, approx. 195 g/m² seamTEX PTFE fire insert, approx. 100 g/m² Membrane: Insulation: seamTEX TU lining, approx. 160 g/m², consisting

of 1 layer of aramid/Lenzing FR
















Primera L2

Outer fabric: Nomex Outershell Tough, approx. 195 g/m² **Membrane:** Sympatex fire insert, approx. 125 g/m² Insulation: seamTEX quilted lining, 3-ply, approx. 240 g/ m², consisting of 1 layer of aramid/Lenzing FR and 2 layers of para-aramid/carbon














Primera L1

Outer fabric: Nomex Outershell Tough, approx. 195 g/m² Sympatex fire insert, approx. 125 g/m² Membrane:

Insulation: Aramid/Lenzing FR, single-layer, approx. 190 g/m²











Eco L2




Outer fabric: Nomex Outershell Tough, approx. 195 g/m² seamTEX fire insert, approx. 125 g/m² seamTEX quilted lining, 2-ply, approx. 270 g/ m², consisting of 1 layer of aramid/Lenzing FR and 1 layer of reclaimed aramid











PBI L2

Membrane:

Outer fabric: PBI Matrix, approx. 205 g/m²

Insulation:

Sympatex fire insert, approx. 125 g/m² seamTEX quilted lining, 3-ply, approx. 240 g/ m², consisting of 1 layer of aramid/Lenzing FR

and 2 layers of para-aramid/carbon


















FIRE BRIGADE UNIFORMS DESIGNED WITH YOUR

NEEDS IN MIND

Our strength comes from producing fire brigade uniforms to your specific requirements.

Our products do no come straight from the rail; they are manufactured in accordance with your requirements. In addition to the wide range of basic features (p. 42), you can choose from a wide range of possible design options.

It means you can be perfectly equipped for your duties.



Reflective stripe options



3M reflective silver



(fluorescent) yellow and 3M silver



3M yellow/ silver/yellow



3M yellow and 3M reflective silver



yellow Reflexite


Design options



Torch holder on front strap/ microphone holder



Inset breast pocket with flap and Velcro fastener, complete with integrated torch holder



Attached radio pocket with holder and Velcro fastener




Inset radio pocket with flap and Velcro fastener, complete with microphone holder



Microphone holder on both sides



Zip-up collar with "retroreflective" stripe









Glove holder with carabiner clip under the side pocket flap



Glove holder under the side pocket flap



Attached pocket with flap and Velcro fastener



Inset side pocket with flap and Velcro fastener



Slip-resistant opening aid in the pocket flaps made of silicone and carbon coated para-aramid



Napoleon pocket with a zip under the double storm fly front, on the left-hand side



Red piped pocket between the insulation lining and the edging/ red inner pocket with Velcro fastener



Rescue and rank epaulettes with reinforced safety seam on the shoulders



Pre-formed abrasion protection in the elbow area made of silicone and carbon coated para-aramid




Top-open safety zip



Cuff without thumb hole



Cuffs with thumb holes, with adjustable sleeve width



Seam zip



Reflective abrasion protection on the shoulders



Jacket with safety harness of 100% para-aramid

Safety harness tested in accordance with EN 1498:2007, Class A EN 469:2005/A1:2006, Item 6.1 and Item 6.5 EN 358:2000



Ring holder under the breast pocket flap



Back extension on jacket, reflecting flaps with Velcro fastener



Bellows pocket for smartphone or knife with flap and Velcro fastener



Waistband with side adjuster






Pre-formed abrasion protection in the knee area made of silicone and carbon coated para-aramid



Trouser leg hem with abrasion protection



Abrasion protection in the knee area made of silicone and carbon-coated Kevlar





Internal gaiter with elastic band



Trouser leg hem with abrasion protection made of silicone and carbon coated Kevlar

Adjustable leg width with zip and waterproof gusseted openings

Design options



Internal drawstring at waist height



Pocket with zip, as well as a pen holder on the right upper arm













































The Forest Programme

Forest AS/AL/NC/OT

FOREST AL is equipped with laminated lining

(Windproof, waterproof and breathable) (also tested in accordance with EN 11612:2008, W33)

Versions

FOREST NC ("Nomex Comfort" outer shell, approx. 220 g/m²) FOREST OT ("Nomex Outershell Tough" outer shell, approx. 195 g/m²) FOREST AS ("seamTEX A" outer shell, approx. 250 g/m²)

Jacke

- Turn-down collar with cover strap and Velcro fastener or zip-up collar
- · Micro-holder above the FG pocket
- · Adjustable sleeve width
- 1 inserted or added mobile radio pocket with a flap and Velcro fastener, as well as antenna outlet, left side

Trouser

- 2 thigh pockets with flaps and Velcro fastener
- Elasticated trouser hem
- 7 belt loops
- Abrasion protection on the knees



Forest BRD

Jacket: Striping in accordance with HuPF, part 1 Trousers: Striping in accordance with HuPF, part 4

lacket

- Turn-down collar with cover strap and Velcro fastener
- 1 breast pocket
- 1 mobile radio pocket
- 2 side pockets

Trouser

- 2 side pockets
- 2 thigh pockets
- Abrasion protection on the knees







Oslo SBG



Top

- Turn-down collar with cover strap and Velcro fastener
- 1 breast pocket
- 1 pocket for radio
- 1 zip pocket on upper arm
- Elastic waistband

Trousers

- 2 side pockets
- 2 bellows pockets on thighs
- Abrasion protection on knees



Top

- Turn-down collar with cover strap and Velcro fastener
- 1 breast pocket
- 1 pocket for radio
- 1 zip pocket on upper arm
- 1 sleeve pocket
- Elastic waistband

Trouse

- 2 side pockets
- 2 bellows pockets on thighs
- 2 back pockets



Weather protection

iacket

lested in accordance with EN 15614:2007, EN 11612:2008, EN 343:2003 and EN 1149-5:2008

Outer fabric: Nomex Comfort Design to order Windproof, waterproof and breathable

- Zip-up collar
- 2 breast pockets
- 2 side pockets
- 1 inside pocket
- Drawstring





1-ply polyester fleece



- 2 side pockets
- 1 pocket on upper arm with pen holder



Linz fleece jacket

3-ply polyester fleece, windproof, waterproof and breathable

- Shoulder tabs
- Removable sleeves
- 1 breast pocket
- 2 side pockets
- 1 sleeve pocket
- Reflective piping





20





Reflective tabard

Yellow/orange, 100% polyester, design as shown Tested in accordance with EN 471: 2003, Class 2/2; also available in flame-retardant material on request in accordance with EN 11612:2007



Fire hood, small

Nomex Comfort, 2-ply Tested in accordance with EN 13911:2004



Fire hood, large

Nomex Comfort, 2-ply Tested in accordance with EN 13911:2004



T-shirt

100% cotton, pre-shrunk



Polo shirt 35% polyester/65% cotton



Cap With embroidered badge and 'Fire Brigade' lettering, adjustable width



Underwear 100% Nomex Comfort or aramid/Lenzing FR

Softshell jacket

- 2 side pockets
- 1 vertical breast pocket
- 1 pocket on upper arm
- 1 inside pocket with patch pocket for mobile phone
- 1 inside pocket, right-hand side
- Adjustable sleeve width1 drawstring on jacket hem

Firefighter protective clothing basic features

All firefighter protective jackets shown here have the following minimum features:

- Set-in sleeves
- Flexible sections under shoulders for ease of movement
- Jacket seal with
 - Waterproof front facing
 - Waterproof rain auard
 - Upper open safety zip with lower flap
- 1 snap fastener under zip
- 1 patch or inset pocket for radio
- 1 microphone holder above pocket for radio
- 1 patch or inset breast pocket, right-hand side (if shown)
- Piping between insulation lining and facing
- 2 hanging loops, inside and outside
- 1 inside pocket with Velcro fastener
- 2 side pockets with flaps and Velcro fasteners
- 1 glove holder
- Nomex Comfort cuffs with or without thumb hole
- Adjustable sleeve width
- Moisture barrier on end of sleeves
- Moisture barrier on jacket hem
- All reflective and/or high-visibility stripes are double-stitched
- All important seams are double-stitched (may be concealed or visible)

All firefighter protective trousers presented here have the following features as a minimum:

- Adjustable waist
- High back with kidney protection
- 1 hanging loop, outside
- 1 hanging loop on each side
- Adjustable elastic braces with clip
- Flexible section in crotch for ease of movement
- 2 side pockets
- 1 bellows pocket on thigh with flap and Velcro fastener
- Abrasion protection on knees
- All reflective and/or high-visibility stripes are double-stitched
- All important seams are double-stitched (may be concealed or visible)

TO 400 TO 11 147 Lane 1000 TAY 2000 TAY 2000 TO 11 140 TO 2000 T

Legal information

seamTEX GmbH is responsible for the content:

Slight variations in the design, shape, colour and texture of all materials used may occur as a resu of the printing process.

The general terms and conditions of seamTEX GmbH apply, available at www.seamtex.at.

Subject to error and alteration

Date of issue: October 2014

Conception and planning: EDBS, www.edbs.at Photos: Ernst Steininger Istockphoto.com

> 3M and Scotchlite are registered trademarks of 3M Lenzing FR is a registered trademark of the Lenzing Group Nomex and Kevlar are registered trademarks of Du Pont de Nemours PBI Matrix is a registered trademark of PBI Performance Products Inc. seamTEX is a registered trademark of seamTEX CmbH Sympatex is a registered trademark of Sympatex Technologies GmbH



WWW.SEAMTEX.AT

seamTEX GmbH Schönauerstraße 9 4400 Steyr Austria

Tel: +43 (0) 72 52 / 43 9 25 Fax: +43 (0) 72 52 / 43 9 25 - 99 Email: office@seamtex.at

